INDEX.

Acetylene, Benzene from by Pyrogenic Condensation, 745
Accidents, Oilfield, Reduction of, 554
Air and Gas Lift, Oil Recovery by, 133
  Production Methods, 100
Alcohol - Benzene, Miscibility of, 356-357
Alcohol-Benzene-Petrol, Miscibility of, 363-365
Alcohol-Benzol-Petrol, Miscibility of, 358-359
  Motor Fuel, 366
Alcohol Fuels, 350-368
Alcohol-Low Temperature Spirit, Miscibility of, 362-363
Alcohol-Petrol, Miscibility of, 355
  Motor Fuel, 366-367
Alcohols, from Cracking Gas, 544-548
Alsace, Shales, Replaceable Bases in, 209
America, Central, Oil Legislation in, 698-725
  South, Oil Legislation in, 698-725
Amphistegina, 386, 387
Ammondiscus, 386
  Incertus, 445
Amyl Nitrite-Pentane, Flame Characteristics of, 411
Aniline Method for Aromatics in Gasolines, 469-472
Ankavandra, Madagascar, Geology of, 14-15
Annual Dinner, Eleventh, Speeches at, 726-743
Annual General Meeting, Sixteenth, 191-202
Annual Report of Council, 1928–29, 183-190
Aphaeroidina, 386
Apollonia, Drilling in, 577-585
Aromatics in Gasolines, Determination of, 465-483
Assam, Diamond Drilling in, 249-299

Banbyin, Burma, Oil Search in, 334
Barrackpore, Trinidad, Well Waters of, 166
Bauxite, Action on Sulphur Compounds, 220
  Treatment of Sulphur-Containing Oils with, 243-244
Bemolanga, Madagascar, Geology of, 20-22
Benzene, Aniline Coefficients, 470
  From Acetylene by Pyrogenic Condensation, 745
  Nitrobenzene Coefficients, 473
  Refractive Index Coefficients, 479
  Specific Gravity Coefficients, 476
Benzene-Air, Flame Characteristics of, 409-410
Benzene - Alcohol, Miscibility of, 356-357
Benzene-Alcohol-Petrol, Miscibility of, 363-365
Benzene Mixtures, Aniline Points of, 468
Benzene-Pentane, Flame Characteristics of, 410-411
Benzol, Motor, Purification of, 745-746
  Ultra-Violet Light Action on, 745
Benzol-Alcohol-Petrol, Miscibility of, 358-359
  Motor Fuel, 366
Benzol-Petrol-Power Methylated Spirit, Miscibility of, 359-361
Bolivina, 386
Bokakra, Gold Coast, Drilling at, 577
Brighton, Trinidad, Well Waters of, 160
Burma, Geology of, 303-306
  Oil Production, 1888–1927, 301-302
  Oil Search in, 329-344
  Oilfields of, 300-349
Butadiene, Physical Properties of, 538
Butane, Boiling-Point of, 518
Butene, Physical Properties of, 538

Carbon Dioxide-Pentane, Flame Characteristics of, 412
Carbon Disulphide, Flame Characteristics of, 412-413
Carbon Residue Test, Ramsbottom, 495-515, 747
Caustic Soda, Action on Sulphur Compounds, 215-216
Cementing of Oil Wells, 131-132
Chimie Industrielle, 1929 Congress, 744-746
Chindwin, Burma, Oil Search in, 343-344
Clavulina, 386
Coal, Seam Roof Characteristics, 373-374
Coal and Petroleum, Occurrence of, 372-384

Combination System of Water Analysis, 155-156
Congress de Chimie Industrielle, 1929, 744-746
Cracked Distillates, Refining of, 489-491
Cracked Spirits, Deterioration of by Gumming, 657-673
  Existent Gum Determination, 681-686
  Gum Formation in, 674-680
Cracking Gas. See *Gas, Cracking.*
Cracking of Oil, Vapour Phase, Developments in, 484-492
  Fixed Gases from, 491-492
Crank-Case Oils, Used, Analyses of, 94
  Properties and Analysis of, 91-99
Crooked Holes, Deflection Measurement, 284-285, 291-293, 299
Cyclammina, 386
  Cancellata, 387, 445
Cylinder Oils, Ramsbottom Carbon Residue, 510-512
Cymol, Nitrobenzene Coefficients, 473

De Soto, Louisiana, Natural Gas Composition, 518
Dexter, Kansas, Natural Gas Composition, 518
Diamond Drilling. See *Drilling, Diamond.*
Distillates, Sulphur-Containing, Refining of, 214-244
  Vapour-Cracked, Refining of, 489-491
Distillation, Vacuum, Apparatus for Fractional, 211-213
Drilling, Cable, Electrical, 607
  Chilled-Shot, 287
  Diamond, 249-299
    Bit for, 258-260
    Casing, 264
    Core Apparatus, 257-258
    Core Recovery, 275-277
    Cost of, 273-274
    Deflection Measurement, 284-285, 291-293, 299
    Diamonds for, 260-262
    Drill-Stem for, 256
    Drilling-in with, 278-279
    Foot Clamp, 256-257
    Fishing Jobs, 279-284
    Loss of Diamonds, 277-278
    Method of, 266-269
    Personnel, 274-275
    Setting Bits, 262-264
    Speed of, 269-273
  Rotary, Electrical, 601-607

Echinoid Cidaris, 387
Electric Geophysical Instruments 52-56
Electrification of Oilfields, 591-610
Engineering Construction, Time Lapse in, 81-90
Engines, Internal-Combustion, Alcohol Fuels for, 350-368
  Cylinder Design and "Pinking," 415-420
Enteromorpha, 379
Eötvös Torsion Balance, 37-42
Ethane, Boiling-Point of, 518
Ethyl-Alcohol, from Cracking Gas, 546-547
Ethyl-Benzol, Specific Gravity Coefficients, 477
Ethyl Ether-Pentane, Flame Characteristics of, 411
Ethylene, Physical Properties of, 538

Folakara, Madagascar, Geology of, 18-20
Fort Smith, Arkansas, Natural Gas Composition, 518
Fucus limicola, 380
Fuel Oils, Heavy, Ramsbottom Carbon Residue, 510-512
Fuels, Alcohol, 350-368
  Engine Tests of, 365-366
  "Pinking" and "Non-Pinking," Flame Characteristics of, 408-415
Fuller's Earth, Action on Sulphur Compounds, 220
Fyzabad, Trinidad, Well Waters of, 144, 146, 162-165

Gas, Cracking, Alcohols from, 544-548
  Analysis of, 538-540
  Ethyl Alcohol from, 546-547
  Glycols from, 547-548
  Halogen Derivatives of Olefines in, 542-544
  Knowledge and Use of, 535-550
  Liquid Phase, Analyses of, 537
  Olefine Content of, 538
  Use as Fuel, 540
  Vapour Phase, Analyses of, 537-538
Natural, Analysis of, 518-524
  Composition of, 517-518
  Knowledge and Use of, 516-535
  Pyrolysis of, 529-531
  Use as Fuel, 525-526

Gasoline, Aromatics Determination, 465-483
Cracked, Deterioration of by Gumming, 657-673
Existent Gum Determination, 681-686
Gum Formation, 674-680
Hydrocarbons in, Determination of, 101-104
Gum in, Estimation of, 645-695
Geophysical Surveying, 35-80
Cost of, 61-62
Electrical Methods, 52-56, 60-61, 78-80
Gravimetric Methods, 37-42, 56-59
In Great Britain, 563-568
Inductive Method, 54-56, 79
Instruments for, 37-56
Magnetic Methods, 45-52, 59-60
Methods of, 36-37
Mintrop Seismic Method, 569-573
Radiometric Method, 56
Resistance Method, 52, 78
Seismic Methods, 42-45, 59
Self-Potential Method, 52, 78
Surface Potential Method, 52-53, 78-79
Value of, for Oil, 56-61
Glasgow, Kentucky, Natural Gas Composition, 518
Globigerina, 386, 445
Glycols, from Cracking Gas, 547-548
From Olefines, 547-548
Gold Coast, Drilling on, 574-587
Gradiometer, 37
Gravimetric Geophysical Instruments, 37-42
Great Britain, Boring Data in, 557-562
Geophysical Work in, 563-568
Gweggo, Burma, Oil Search in, 342

Haalck's Universal Magnetometer, 50
Haplostiche, 445
Henzada, Burma, Oil Search in, 339
Heptane, Boiling-Point of, 518
Hexane, Boiling-Point of, 518
Horizontal Magnetometer, Walker's 46
Hormosina, 386
Hydrogen, Flame Characteristics of, 413
Hypochlorite, Effect on Mercaptans, 234-235
Effect on Organic Disulphides, 235-236
Effect on Sulphides, 233-234
Effect on Sulphur Compounds, 216-217, 233
Effect on Sulphuretted Hydrogen, 236
Refining by, 232-236

Indaw, Burma, Oilfield of, 324-325
International Drilling Congress, Second, 555-633
Ionic System of Water Analysis, 155
Isobutylene, Physical Properties of, 538

Kabat, Burma, Oil Search in, 342
Kanhla, Burma, Oil Search in, 339
Kyawdo, Burma, Oil Search in, 334
Kyundaw Island, Burma, Oil Search in, 339

Lagena, 386
Lanywa, Burma, Oilfield of, 316-320
Laticarinina, 386
Legislation, Oil, Central and South America, 698-725
Lenticulina, 386
Lignite, 372-373
Litharge, Action on Sulphur Compounds, 217-218
Treatment of Sulphur-Containing Oils with, 240-242
Lizard Springs, Trinidad, Anticline at, 443-450
Cretaceous Occurrences at, 440-442
Crude Oil, Analyses of, 449
Lloyd's Observatory Vertical Force Magnetometer, 46-48
Los Angeles, California, Natural Gas Composition, 518
Low-Temperature Carbonisation, 553
Low-Temperature Spirit-Alcohol, Miscibility of, 362-363
Lubricating Oils, Ramsbottom Carbon Residue, 495-515, 747

Madagascar, Climate of, 10
Crude Oil, Analyses of, 23
Geological Structure of, 24-27
Geology of Oil Lands, 11-24, 400-401
Oil Lands of, 2-33, 400-401
People of, 8-10
Petroleum, Origin of, 27-28
Petroleum Prospects of, 28
Physical Features of, 2-8
Travel in, 10-11
Magnetic Geophysical Instruments, 45-52
Magwe, Burma, Oil Search in, 342-343
Marigulina, 386
Maraboaly, Madagascar, Geology of, 15-18

McKittrick, California, Natural Gas Composition, 518
Medicine Hat, Alberta, Natural Gas Composition, 518
Methane, Boiling-Point of, 518
Conversion by Electric Discharge, 534-535
Pyrolysis of, 531-534
Mexico, Shales, Replaceable Bases in, 209
Microcoleus chthonoplastes, 379, 380
Mimbu, Burma, Oil Search in, 340-341
Oilfield of, 322-323
Mintrop and Schweydar Seismometer, 43-45
Mintrop Seismic Method, 569-573
Monnatkon, Burma, Oil Search in, 334
Morafenobe, Madagascar, Geology of, 20-22

Natural Gas. See *Gas, Natural.*
Nawuli, Gold Coast, Drilling at, 582-583
Ngahlaingdwin, Burma, Oil Search in, 343
Nitrobenzene Method for Aromatics in Gasolines, 472-473
Nodosaria, 386, 445
Nodosinella velascoensis, 440, 441
"Non-Pinking" Fuels, Flame Characteristics of, 408-415

Octane, Boiling-Point of, 518
Oilfields, Electrification of, 591-610
Oil Sands, Re-Pressuring of, 428-439
Olefines, Conversion to Glycols, 547-548
Conversion to Higher Hydrocarbons, 548-549
Ondwe, Burma, Oil Search in, 341-342
Orbulina, 386

Pagan Hills, Burma, Oil Search in, 342
Palanyon, Burma, Oilfield of, 323
Palmer System of Water Analysis, 155-156, 157
Palo Seco, Trinidad, Well Waters of, 146, 165-166
Paraffin Wax, Decomposition of, 369-371
Paraffins, Boiling-Points of, 518
Carbon and Hydrogen from, 528-529
Chlorination of, 529
Oxidation of, 529
Parker System of Water Analysis, 157
Parry Lands, Trinidad, Well Waters of, 144, 160-162
Paukkaung, Burma, Oil Search in, 330-332
Pegu Yoma, Burma, Oil Search in, 330-332
Pelvetia canaliculata, 379
Pentane, Boiling-Point of, 518
Pentane-Air, Flame Characteristics of, 409
Pentane-Amyl Nitrite, Flame Characteristics of, 411
Pentane-Benzene, Flame Characteristics of, 410-411
Pentane-Carbon Dioxide, Flame Characteristics of, 412
Pentane-Ethyl Ether, Flame Characteristics of, 411
Pentane-Steam, Flame Characteristics of, 412
Persia, Natural Gas Composition, 518
Persian Branch, Annual Report, 1928, 397-399
First Annual Dinner, 105-113
Petrol. See *Gasoline.*
Petrol-Alcohol, Miscibility of, 355
Motor Fuel, 366-367
Petrol-Alcohol-Benzene, Miscibility of, 363-365
Petrol-Alcohol-Benzol, Miscibility of, 358-359
Motor Fuel, 366
Petrol - Benzol - Power Methylated Spirit Miscibility of, 359-361
Petroleum, Origin of, 378-382
Petroleum and Coal, Occurrence of 372-384
Petrolometer, 45
"Pinking," Cylinder Design Influence on, 415-420
"Pinking" Fuels, Flame Characteristics of, 408-415
Pitch Lake, Trinidad, Well Waters of, 160
Pittsburg, Pennsylvania, Natural Gas Composition, 518
Plectofrondicularia, 386
Power Methylated Spirit-Benzol-Petrol, Miscibility of, 359-361
Prome, Burma, Oil Search in, 339
Propane, Boiling-Point of, 518
Propylene, Physical Properties of, 538
Pullenia, 386
Pumping, Pipe-Line, Electrical, 609
Well, Electrical, 608-609
Punjab, Diamond Drilling in, 249-299
Pyalo, Burma, Oil Search in 337
Pyayè, Burma, Oil Search in, 336
Pyrgo, 386

Ramsbottom Carbon Residue Test, 495-515, 747
Re-Pressuring of Oil Sands, 428-439
Refining of Sulphurous Oils, 214-244
Refractrometric Method for Aromatics in Gasolines, 478-480
Reophax, 445

Reviews :
"American Oilfields, Structure of Typical," by Amer. Assoc. Petr. Geol., 247
"Analytical Principles of the Production of Oil, Gas, and Water from Wells," by S. C. Herold, 402-403
"Anorganische and Organische Entfarbungsmittel," by L. Singer, 494
"Apparatus and Methods for the Separation, Identification and Determination of the Chemical Constituents of Petroleum," by E. W. Washburn, J. H. Brunn and M. M. Hicks, 248
"Assay of Coal for Carbonisation Purposes," by Dept. Sci. Industr. Research, 248
"Chemical Bibliographies," by U.S. Nat. Res. Council, 642
"Chemical Catalogue," by D. M. Newitt, 247
"Coalfields of North Staffordshire," by Dept. Sci. Industr. Research, 247
"Determination of Molecular Weights in the Vapour State from Vapour Pressure and Evaporation Data," by E. W. Washburn, 405
"Die Verwasserung von Erdolfeldern, ihre Ursachen und Bekampfung," by Dr. W. Kauenhowen, 493-494
"Earth Flexures," by H. G. Busk, 245
"Fusion Point of Coal," by J. G. King, A. Blackie and J. O'N. Millott, 642
"Gas Air-Lift Pocket Book," by R. Stirling, 641
"Geophysics, Elements of," by R. Ambronn, 135-136
"Laboratory Corrosion Tests of Mild Steel," by H. S. Rawdon, 248
"Le Pétrole," by J. Filhol and C. Bihoreau, 639-640
"Legislation Mondiale du Pétrole," by J. Filhol, 404

Reviews—*continued*.
"Les Richesses Minières de la Nouvelle Roumaine," by A. P. Iancoulesco, 246
"Marine Oil Engines," by S. B. Freeman, 247
"Nappe Theory of the Alps," by Dr. F. Heritsch, 403
"Parkgate Seam," by Dept. Sci. Industr. Research, 136
"Petroleum Development and Technology, 1928-29," by Amer. Inst. Min. Met. Eng., 493
"Petroleum Vade-mecum," by R. Schwarz, 641
"The Reactivity of Coke," by J. H. Jones, J. G. King and F. S. Sinnatt, 494
"Repairs to Diesel Engine Parts by Electro-Deposition," by C. H. Faris, 642
"Report of Test by Director of Fuel Research on the Maclaurin Plant," by Dept. Sci. Industr. Research, 405
"Research Board, Report for Year Ended March 31, 1929," 748
"Rumanischen Erdollagerstatten," by K. Krejci-Graf, 638-639
"Sales Engineer," by G. Rigg, 404-405
"Seismometer Equipped for Electromagnetic Damping and Electromagnetic and Optical Magnification," by F. Werner, 405
"Thermoelectric Temperature Scales," by W. F. Roeser, 748
"Viscosity of Liquids," by E. Hatschek, 135
Rhabdammina, 386, 445
Rhizoclonium, 379
Robulus, 386
Rumania, Conditions in, 457-464, 636-637
Rumanian Branch, Second Annual Dinner, 124-130
Second Annual Report, 114-116
Rzehakina epigona, 440, 441

Sabé, Burma, Oilfield of, 322
Schæfer Gas Burner, 592
Schmidt's Vertical Field Balance, 46
Seismic Geophysical Instruments, 42-45
Seismometer, Mintrop and Schweydar 43-45
Seminole, Oklahoma, Gas Lift Operations in, 117-123
Shales, Comparisons of, 374-378

Shales and Clays, Replaceable Bases in, 207-210
Simcoe, Ontario, Natural Gas Composition, 518
Singu, Burma, Oilfield of, 312-316
Siphonodosaria, 386
Skelgas, 540
Soda Washing of Sulphur-containing Oils, 222-232
Sodium Hypochlorite, Manufacture of, 236-240
Sodium Plumbite, Action on Sulphur Compounds, 217-218
  Treatment of Sulphur-containing Oils with, 240-242
Sorosphæra, 386
South Wales Branch, Inaugural Meeting, 456
Specific Gravity Method for Aromatics in Gasolines, 473-478
Spiroplectoides Clotho, 440, 441
Steam-Pentane, Flame Characteristics of, 412
Steels, Heat-resisting, 611-633
  Use of in Oil Industry, 611-633
Sulphur Dioxide, Liquid, Action on Sulphur Compounds, 219
  Treatment of Sulphur-containing oils with, 242-243
Sulphur-containing Distillates, Refining of, 214-244
Sulphuric Acid, Action on Sulphur Compounds, 218-219
  Treatment of Sulphur-containing Oils with, 242

Tabaquite, Trinidad, Well Waters of, 167
Tagaing, Burma, Oil Search in, 339
Takinta, Gold Coast, Drilling at, 583-585
Tarkwa, Gold Coast, Drilling at, 585-587
Textularis, 445
Thanat, Burma, Oil Search in, 338
Thayetmyo, Burma, Oil Search in, 333-339
Thayetmyo-Padaukbin Road, Burma, Oil Search in, 334
Toluene, Aniline Coefficients, 471
  Nitrobenzene Coefficients, 473
  Refractive Index Coefficients, 479
  Specific Gravity Coefficients, 477
Trinidad, Accident Reduction in, 554
  Cretaceous Occurrences at Lizard Springs, 440-442
  Lizard Springs Anticline, 443-450
  New Mud Volcano in, 385-391
  Shales, Replaceable Bases in, 209
  Well Waters, Chemical Investigation of, 138-182, 634-636
Trinidad Branch, First Annual Report, 203-206
Tritaria, 386
Trochammina, 445
Truncatulina, 386
  Uvigerina, 445
Turner Valley, Alberta, Natural Gas Composition, 518

Ulva, 379, 380
Unsaturateds, Cracking of, 744-745
  Sulphocyanide Value, 744
Uvigerina, 386

Vapour Phase Cracking, Developments in, 484-492
Vaucheria Thuretii, 379, 380
Vertical Field Balance, Schmidt's, 46
Vertical Force Magnetometer, Lloyd's Observatory, 46-48
Virgulina, 386, 387

Walker's Horizontal Magnetometer, 46
Washing Equipment for Sulphur-Containing Oils, 220-222
Waters, Well. See *Well Waters*.
Wèlaung, Burma, Oil Search in, 343
Well Waters, Trinidad, Analytical Methods, 147-160
  Chemical Investigation of, 138-182, 634-636
  Geological Conditions, 139-142
  Sampling of, 142-147
Wells, Oil, Washing of, 391-396
Wetchok-Yedwet, Burma, Oil Search in, 343
Wire Lines, 588-590
World Engineering Congress, Tokyo, Address to, 747

Xylene, Aniline Co-efficients, 471
  Specific Gravity Co-efficients, 477
m-Xylene, Aniline Co-efficients, 472
  Nitrobenzene Co-efficients, 473
  Refractive Index Co-efficients, 480
  Specific Gravity Co-efficients, 478

Yenangyat, Burma, Oilfield of, 320-322
Yenangyaung, Burma, Oilfield of, 307-312
Yenanma, Burma, Oilfield of, 325-329
Yethaya, Burma, Oilfield of, 323-324
Yinaing, Burma, Oil Search in, 334